

ARCHAIOS



Verde
1999[®]
AN ITALIAN STORY



Natural elegance, ceramic innovation.

ARCHAIOS

Colors and inspirations narrated by

Verde
1999
AN ITALIAN STORY

The authentic veining and fossil inclusions of Solnhofen stone are rendered to perfection by state-of-the-art technology for habitats that encompass nature, history and modern times all together.





ARCHAIOS naturale 60x120 . 24"x48" rett - 60x120 . 24"x48" rett R11 2 cm



ARCHAIOS

Archaïos has an essential but complete range of parts and pieces in the stone's single, natural color range making it the perfect backdrop for any setting.

The eight different size options were created to provide designers with endless options: from the large 60x120 cm tile to the inspiring compositions of the Runner Package, up to the innovative extra large runner package with 120 cm planks.

Two slip resistant surfaces, R10-B for interiors and R11 for outdoors - and two thicknesses, 10 mm and 2 cm, make Archaïos perfect for in&out continuous, technical design installations.

Archaïos - A brilliant and resourceful package for every project.

ARCHAIOS naturale 40x60,8 . 16"x24"



ARCHAIOS naturale 90x90 . 36"x36" rett
mosaico 30x30 . 12"x12"



ARCHAIOS naturale mosaico 30x30 . 12"x12"



ARCHAIOS naturale 60x60 . 24"x24" rett



ARCHAIOS naturale multisize package rett 60x60 . 24"x24" - 40x60 . 16"x24" - 20x60 . 8"x24" - 30x40 . 12"x16" - 20x30 . 8"x12"




sizes


Σ 10



90x90
36"x36" rett




60x120
24"x48" rett



60x60
24"x24" rett



30x60
12"x24" rett



40x60,8
16"x24"



Mosaico
30x30 . 12"x12"
5x5 . 2"x2"

Σ 20



60x120
24"x48" rett R11 2 cm

Σ 10



Battiscopa
7x60,8 . 2 3/4"x24"

Battiscopa
7x60 . 2 3/4"x24" rett


Battiscopa
7x90 . 2 3/4"x36" rett

Battiscopa
7x120 . 2 3/4"x48" rett




package


Contents of one box . Contenuto di una scatola . Contenu d'une boite . Inhalt einer Schachtel



MULTISIZE PACKAGE rett
 60x60 . 24"x24" : 1 pc
 40x60 . 16"x24" : 1 pc
 20x60 . 8"x24" : 1 pc
 30x40 . 12"x16" : 2 pc
 20x30 . 8"x12" : 2 pc



RUNNER PACKAGE rett
 20x60 . 8"x24" : 2 pc
 30x60 . 12"x24" : 2 pc
 40x60 . 16"x24" : 2 pc



RUNNER PACKAGE XXL rett
 20x120 . 8"x48" : 2 pc
 25x120 . 10"x48" : 2 pc
 35x120 . 14"x48" : 2 pc
 40x120 . 16"x48" : 2 pc

ARCHAIOS

Packing

	Σ	 pezzi pieces	 m ²	 kg	 kg	 m ²	 box
90x90 . 36"x36" rett	10	2	1,62	39,80	894,00	35,64	22
60x120 . 24"x48" rett	10	2	1,44	31,15	957,00	43,20	30
60x120 . 24"x48" rett R11 2 cm	20	1	0,72	32,70	1003,00	21,60	30
60x60 . 24"x24" rett	10	3	1,08	23,30	954,00	43,20	40
30x60 . 12"x24" rett	10	5	0,90	19,20	944,00	43,20	48
40x60,8 . 16"x24"	10	4	0,96	20,77	1263,00	57,60	60
Runner package xxl rett	10	2	1,44	33,33	599,94	25,92	18
Runner package rett	10	6	1,08	27,51	990,36	38,88	36
Multisize package rett	10	7	1,08	27,51	990,36	38,88	36
5x5 . 2"x2" Mosaico	10	8	0,72	16,25	705,00	30,24	42
7x60,8 . 2¾"x24" Battiscopa	10	15	-	13,91	580,00	-	40
7x60 . 2¾"x24" rett Battiscopa	10	15	-	13,91	580,00	-	40
7x90 . 2¾"x36" rett Battiscopa	10	6	-	10,25	410,00	-	40
7x120 . 2¾"x48" rett Battiscopa	10	6	-	11,94	477,60	-	40



Via Ghiarola Nuova, 158
41042 Fiorano Modenese,
Modena - Italy
tel +39 0536 832393
fax +39 0536 913591
verde1999.com
info@verde1999.com



**Verde
1999**

AN ITALIAN STORY

is a brand of
Gruppo Romani S.p.A. Industrie Ceramiche

TECHNICAL FEATURES*

Caratteristiche tecniche . Caractéristiques techniques. Technische eigenschaften

GLAZED PORCELAIN STONEWARE WITH COLOURED BODY - ISO 13006 BIA GL
Gres porcellanato smaltato colorato in massa . Gres cérame émaillé coloré dans la masse . Glasiertes Feinsteinzeug in der masse gefärbt

NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	VALORE RESULTS
 ISO 10545/2	Lunghezza e larghezza Length and width Longueur et largeur Länge und breite	± 0,5%	Conforme Conforms Conformes Gemäß
 ISO 10545/2	SPESORE THICKNESS EPAISSEUR STÄRKE	± 5%	Conforme Conforms Conformes Gemäß
 ISO 10545/2	Ortogonalità Wedging Orthogonalité Rechtwinklichkeit	± 0,5%	Conforme Conforms Conformes Gemäß
 ISO 10545/2	Planarità Warpage Planéité Ebenflächigkeit	± 0,5%	Conforme Conforms Conformes Gemäß
	Variazioni di tono Shade variations Variations de nuance Tonvariationen		V3
 ISO 10545/3	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme	≤ 0,5%	Conforme Conforms Conformes Gemäß
 ISO 10545/4	Resistenza alla flessione Bending strength Resistance a la flexion Biegefestigkeit	R > 35 N/mm ²	Conforme Conforms Conformes Gemäß
 ISO 10545/11	Resistenza al cavillo Crazing resistance Resistance au trassailage Haarrissfestigkeit		Resiste Resistant Résiste Beständig
 ISO 10545/13	Resistenza all'attacco chimico Chemical resistance Resistance à l'attaque chimique Fähig gegen säuren und laugen	min. gb	Classe GA/GLA Class GA/GLA Classe GA/GLA Gruppe GA/GLA
 ISO 10545/14	Resistenza alle macchie Stain resistance Resistance aux taches Fleckenfestigkeit	min 3	Classe 5 Class 5 Classe 5 Gruppe 5
 ISO 10545/12	Resistenza al gelo Frost resistance Resistance au gel Frostbeständigkeit		Resiste Resistant Résiste Beständig
 ISO 10545/7	Resistenza alla abrasione della superficie di piastrelle smaltate Resistance to surface abrasion of glazed tiles Résistance à l'abrasion de la surface des carreaux émaillés Widerstand gegen Abrieb der Oberfläche der glasierten Fliesen		Classe 4 Class 4 Classe 4 Gruppe 4
 DIN 51130 DIN 51097	Resistenza allo scivolamento Slip resistance Resistance au glissement Bestimmung der rutschemmende Eigenschaft	10 mm 20 mm	DIN 51130 R10 DIN 51097 A+B DIN 51130 R11 DIN 51097 A+B+C
	Resistenza della superficie (scala MOHS) Scratch hardness (MOHS scale) Dureté de la surface (échelle MOHS) Oberflächenhärte (MOHS skala)	EN 101	≥ 6

* THESE VALUES MAY VARY FROM LOT TO LOT.

Verde
1999®

AN ITALIAN STORY