

MATRIX



Verde
1999[®]
AN ITALIAN STORY



VERDE 1999

MATRIX

STONE



100x100 . 40"x40" rett
100x100 . 40"x40" rett R11
100x100 . 40"x40" rett R11 2 cm
60x60 . 24"x24" rett
30x60 . 12"x24" rett
30x30 . 12"x12" rett
7,5x30 . 3"x12" rett



GRIGIO



FUMO



BIANCO



ANTRACITE



BLU



BEIGE



VERDE



MARRONE

SABBIA 60x60 . 24"x24" rett



FUMO 100x100 . 40"x40" rett

MATRIX




GRIGIO 60x60 . 24"x24" rett



BLU 30x60 . 12"x24" rett

MATRIX



ANTRACITE 60x60 . 24"x24" rett

MATRIX

VERDE 1999



GRIGIO FUMO BIANCO ANTRACITE

FULL BODY PORCELAIN STONEWARE
Gres porcellanato a tutta massa . Grès cérame pleine masse
Vollmassefeinsteinzeug



BLU BEIGE VERDE MARRONE

Ø 8,5



100x100 . 40"x40"
rett
MAT211102N GRIGIO
MAT211137N FUMO
MAT211105N BIANCO
MAT211139N ANTRACITE
MAT211107N BLU
MAT211104N BEIGE
MAT211106N VERDE
MAT211138N MARRONE



60x60 . 24"x24"
rett
MAT61102R2 GRIGIO
MAT61137R2 FUMO
MAT61105R2 BIANCO
MAT61139R2 ANTRACITE
MAT61107R2 BLU
MAT61104R2 BEIGE
MAT61106R2 VERDE
MAT61138R2 MARRONE



30x60 . 12"x24"
rett
MAT361102R2 GRIGIO
MAT361137R2 FUMO
MAT361105R2 BIANCO
MAT361139R2 ANTRACITE
MAT361107R2 BLU
MAT361104R2 BEIGE
MAT361106R2 VERDE
MAT361138R2 MARRONE



30x30 . 12"x12"
rett
MAT31102R GRIGIO
MAT31137R FUMO
MAT31105R BIANCO
MAT31139R ANTRACITE
MAT31107R BLU
MAT31104R BEIGE
MAT31106R VERDE
MAT31138R MARRONE

Ø 20




7,5x30 . 3"x12"
rett
MAT831102R GRIGIO
MAT831137R FUMO
MAT831105R BIANCO
MAT831139R ANTRACITE
MAT831107R BLU
MAT831104R BEIGE
MAT831106R VERDE
MAT831138R MARRONE



100x100 . 40"x40"
rett R11 2 cm
MAT2111022 GRIGIO
MAT2111372 FUMO
MAT2111042 BEIGE

100x100 . 40"x40"
rett R11
MAT211102RG GRIGIO
MAT211104GN BEIGE



Battiscopa 7x100 . 2 3/4"x40"
rett
MAT561102B GRIGIO
MAT561137B FUMO
MAT561105B BIANCO
MAT561139B ANTRACITE
MAT561107B BLU
MAT561104R BEIGE
MAT561106B VERDE
MAT561138B MARRONE



Battiscopa 7x60 . 2 3/4"x24"
rett
MAT191102R GRIGIO
MAT191137R FUMO
MAT191105R BIANCO
MAT191139R ANTRACITE
MAT191107R BLU
MAT191104R BEIGE
MAT191106R VERDE
MAT191138R MARRONE

Packing


	Ø	pezzi pieces	m ²	kg	kg	m ²	box
100x100 . 40"x40" rett / R11	8,5	2	2,00	38,00	952,00	48,00	24
100x100 . 40"x40" rett R11 2 cm	20	1	1,00	42,47	932,00	21,00	21
60x60 . 24"x24" rett	8,5	3	1,08	20,50	1000,00	51,84	48
30x60 . 12"x24" rett	8,5	7	1,26	23,80	968,00	50,40	40
30x30 . 12"x12" rett	8,5	11	0,99	18,70	920,00	47,52	48
7,5x30 . 3"x12" rett	8,5	17	0,38	8,85	766,00	31,92	84
7x100 . 2 3/4"x40" Battiscopa rett	8,5	6	-	8,35	373,00	-	42
7x60 . 2 3/4"x24" Battiscopa rett	8,5	15	-	13,91	580,00	-	40

MATRIX


VERDE 1999

decori


MOSAICO 30x30 . 12"x12"



GRIGIO FUMO ANTRACITE



BIANCO BLU BEIGE



MARRONE VERDE

HEXAGON 36,9x39,5 . 14½"x15½"



GRIGIO FUMO ANTRACITE



BIANCO BLU BEIGE



MARRONE VERDE

8,5



Mosaico 30x30 . 12"x12"
5x5 . 2"x2"
MAT31102M GRIGIO
MAT31137M FUMO
MAT31105M BIANCO
MAT31139M ANTRACITE
MAT31107M BLU
MAT31104M BEIGE
MAT31106M VERDE
MAT31138M MARRONE



Hexagon
36,9x39,5 . 14½"x15½"
MAT301102H GRIGIO
MAT301137H FUMO
MAT301105H BIANCO
MAT301139H ANTRACITE
MAT301107H BLU
MAT301104H BEIGE
MAT301106H VERDE
MAT301138H MARRONE

FULL BODY PORCELAIN STONEWARE
Gres porcellanato a tutta massa . Grès cérame pleine masse
Vollmassefeinsteinzeug



decori

CHEVRON 29x37 . 11½"x14¾"



BIANCO/
GRIGIO/
ANTRACITE BEIGE/
MARRONE/
FUMO




BIANCO/
VERDE/BLU

HERRINGBONE MIX 36x29,5 . 14½"x11½"



ANTRACITE/
GRIGIO/
FUMO/
BIANCO BEIGE/
MARRONE/
BIANCO



BLU/BIANCO/
VERDE



Chevron
29x37 . 11½"x14¾"
MAT311050239C
BIANCO/GRIGIO/ANTRACITE
MAT311043837C
BEIGE/MARRONE/FUMO
MAT311050607C
BIANCO/VERDE/BLU



Herringbone Mix
36x29,5 . 14½"x11½"
MAT31139023705
ANTRACITE/GRIGIO/
FUMO/BIANCO
MAT311040538
BEIGE/MARRONE/BIANCO
MAT311070506
BLU/BIANCO/VERDE

Packing

	8,5	pezzi pieces	m ²	kg	kg	m ²	box
30x30 . 12"x12" Mosaico rett	8,5	8	0,72	15,68	681,00	30,24	42
36,9x39,5 . 14½"x15½" Hegagon	8,5	8	0,92	14,00	610,00	38,64	42
29x37 . 11½"x14¾" Chevron	8,5	8	0,68	16,16	701,00	28,56	42
36x29,5 . 14½"x11½" Herringbone Mix	8,5	8	0,55	12,40	542,00	23,10	42

TECHNICAL CHARACTERISTICS*
CARATTERISTICHE TECNICHE
CARACTÉRISTIQUES TECHNIQUES
TECHNISCHE DATEN

* THESE VALUES MAY VARY FROM LOT TO LOT.

NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	MATRIX	
 ISO 10545/2	Lunghezza e larghezza . Length and width Longueur et largeur . Länge und breite	± 0,5%	Conforme Conforms Conformes Gemäß	
 ISO 10545/2	Spessore . Thickness Épaisseur . Stärke	± 5%		
 ISO 10545/2	Ortogonalità . Wedging Orthogonalité . Rechtwinklichkeit	± 0,5%		
 ISO 10545/2	Planarità . Warpage Planéité . Ebenflächigkeit	± 0,5%		
	Variazioni di tono Shade variations Variations de nuance Tonvariationen	-	V3	
 ISO 10545/3	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme	≤ 0,5%	Conforme Conforms Conformes Gemäß	
 ISO 10545/4	Resistenza alla flessione Bending strength Resistance a la flexion Biegefestigkeit	R > 35 N/mm ²	Conforme Conforms Conformes Gemäß	
 ISO 10545/11	Resistenza al cavillo Crazing resistance Resistance au trassilage Haarrissfestigkeit	-	Resiste Resistant Résiste Beständig	
 ISO 10545/13	Resistenza all'attacco chimico Chemical resistance Resistance à l'attaque chimique Säure-und laugefestigkeit	min. b	Conforme Conforms Conformes Gemäß	
 ISO 10545/14	Resistenza alle macchie Stain resistance Resistance aux taches Fleckenfestigkeit	min. Classe 3	Conforme Conforms Conformes Gemäß	
 ISO 10545/12	Resistenza al gelo Frost resistance Resistance au gel Frostbeständigkeit	-	Resiste Resistant Résiste Beständig	
 ISO 10545/6	Resistenza all'abrasione profonda Deep abrasion resistance Résistance à l'abrasion profonde Tiefenverschleissbeständigkeit	< 175 mm ³	Conforme Conforms Conformes Gemäß	
 ISO 10545/7	Resistenza alla abrasione della superficie di piastrelle smaltate Resistance to surface abrasion of glazed tiles Résistance à l'abrasion de la surfacedes carreaux émaillés Widerstand gegen Abrieb der Oberfläche der glasierten Fliesen	-	-	
	ANSI A 1371:2012 BOT 3000	Resistenza allo scivolamento Slip resistance Resistance au glissement Bestimmung der Rutschhemmung	WET DCOF ≥ 0,42	Conforme Conforms Conformes Gemäß
			DIN 51130	R10
			DIN 51097	A+B
			B.C.R.A. REP. CEC. 6/81	-
 ISO 10545/8	Coefficiente di dilatazione termica lineare Thermal expansion coeff. Between 20°C - 100°C Coeff. De dilatation thermique lineaire entre 20°C et 100°C Wärmeausdehnung zwischen 20°C und 100°C	<9x10 ⁻⁶ C ⁻¹	9x10 ⁻⁵ C ⁻¹	
	Resistenza agli sbalzi termici Resistance to thermal shock Resistance aux chocs thermiques Temperaturwechselbeständigkeit	-	Resiste Resistant Résiste Beständig	
	Resistenza della superficie (scala MOHS) Scratch resistance (MOHS scale) Dureté de la surface (échelle MOHS) Oberflächenhärte (MOHS skala)	EN 101	≥ 6	



Via Ghiarola Nuova, 158
 41042 Fiorano Modenese,
 Modena - Italy
 tel +39 0536 832393
 fax +39 0536 913591
verde1999.com
 info@verde1999.com

Verde
1999[®]

AN ITALIAN STORY