

RETRÒ




Verde
1999[®]
AN ITALIAN STORY



VERDE 1999

RETRÓ

STONE



80x80 . 32"x32" rett
60x60 . 24"x24" rett
30x60 . 12"x24" rett
30x30 . 12"x12" rett
15x60 . 6"x24" rett
15x15 . 6"x6" rett



GRIGIO




ANTRACITE



BIANCO



BEIGE



TAUPE




TORTORA

BIANCO 80x80 . 32"x32" rett



GRIGIO 80x80 . 32"x32" rett

RETRÓ



BEIGE 60x60 . 24"x24" rett



TAUPE 80x80 . 32"x32" rett
MIX TAPPETO CALDO 30x30 . 12"x12"



TORTORA 80x80 . 32"x32" rett
TORTORA MURETTO 30x60 . 12"x24"
ANTRACITE MURETTO 30x60 . 12"x24"

RETRÓ

VERDE 1999



GRIGIO



ANTRACITE



BIANCO

FULL BODY PORCELAIN STONEWARE
Gres porcellanato a tutta massa . Grès cérame pleine masse
Vollmassefeinsteinzeug



BEIGE



TAUPE



TORTORA



80x80 . 32"x32"
rett
RET8034023 GRIGIO
RET8034393 ANTRACITE
RET8034053 BIANCO



60x60 . 24"x24"
rett
RET63402R2 GRIGIO
RET63439R2 ANTRACITE
RET63405R2 BIANCO
RET63404R2 BEIGE
RET63420R2 TAUPE
RET63408R2 TORTORA



30x60 . 12"x24"
rett
RET363402R GRIGIO
RET363439R ANTRACITE
RET363405R BIANCO
RET363404R BEIGE
RET363420R TAUPE
RET363408R TORTORA



15x60 . 6"x24"
rett
RET153402 GRIGIO
RET153439 ANTRACITE
RET153405 BIANCO
RET153404 BEIGE
RET153420 TAUPE
RET153408 TORTORA



30x30 . 12"x12"
rett
RET33402R GRIGIO
RET33439R ANTRACITE
RET33405 BIANCO
RET33404 BEIGE
RET33420R TAUPE
RET33408R TORTORA



15x15 . 6"x6"
rett
RET113402 GRIGIO
RET113439 ANTRACITE
RET113405 BIANCO
RET113404 BEIGE
RET113420 TAUPE
RET113408 TORTORA



Battiscopa 7x80 . 2 7/8"x32"
rett
RET563402B GRIGIO
RET563439B ANTRACITE
RET563405B BIANCO



Battiscopa 7x60 . 2 7/8"x24"
rett
RET163402R GRIGIO
RET163439R ANTRACITE
RET163405R BIANCO
RET163404R BEIGE
RET163420R TAUPE
RET163408R TORTORA

Packing

	∅	pezzi pieces	m ²	kg	kg	m ²	box
80x80 . 32"x32" rett	8,5	2	1,28	27,00	1372,00	64,00	50
60x60 . 24"x24" rett	8,5	4	1,44	26,00	1062,00	57,60	40
30x60 . 12"x24" rett	8,5	7	1,26	22,50	1102,00	60,48	48
30x30 . 12"x12" rett	8,5	11	0,99	17,68	871,00	47,52	48
15x15 . 6"x6" rett	8,5	36	0,81	18,00	1102,00	48,60	60
15x60 . 6"x24" rett	8,5	10	0,90	18,30	754,00	36,00	40
7x80 . 2 7/8"x32" Battiscopa rett	8,5	6	-	8,30	437,00	-	50
7x60 . 2 7/8"x24" Battiscopa rett	8,5	15	-	13,91	580,00	-	40

RETRÓ

VERDE 1999


decori

FULL BODY PORCELAIN STONEWARE
Gres porcellanato a tutta massa . Grès cérame pleine masse
Vollmassefeinsteinzeug




decori

MURETTO




Σ 8,5



Muretto
30x60 . 12"x24"
RET363402 GRIGIO
RET363439 ANTRACITE
RET363405 BIANCO
RET363404 BEIGE
RET363420 TAUPE
RET363408 TORTORA

MOSAICO 30x30 . 12"x12"



MIX TAPPETO 30x30 . 12"x12"



Mosaico 30x30 . 12"x12"
5x5 . 2"x2"
RET33402 GRIGIO
RET33439 ANTRACITE
RET33405 BIANCO
RET33404 BEIGE
RET33420 TAUPE
RET33408 TORTORA



Mix Tappeto 30x30 . 12"x12"
2,5x2,5 . 1"x1"
RET33400 MIX FREDDO
RET33499 MIX CALDO

Packing

	Σ	pezzi pieces	m ²	kg	kg	m ²	box
30x30 . 12"x12" Tappeto	8,5	8	0,72	14,72	641,00	30,24	42
30x30 . 12"x12" Mosaico	8,5	8	0,72	14,72	641,00	30,24	42
30x60 . 12"x24" Muretto	8,5	3	0,54	10,56	498,00	24,30	45

TECHNICAL CHARACTERISTICS*
CARATTERISTICHE TECNICHE
CARACTÉRISTIQUES TECHNIQUES
TECHNISCHE DATEN

* THESE VALUES MAY VARY FROM LOT TO LOT.

NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	RETRO'
 ISO 10545/2	Lunghezza e larghezza . Length and width Longueur et largeur . Länge und breite	± 0,5%	Conforme Conforms Conformes Gemäß
 ISO 10545/2	Spessore . Thickness Epaisseur . Stärke	± 5%	
 ISO 10545/2	Ortogonalità . Wedging Orthogonalité . Rechtwinklichkeit	± 0,5%	
 ISO 10545/2	Planarità . Warpage Planèité . Ebenflächigkeit	± 0,5%	
	Variazioni di tono Shade variations Variations de nuance Tonvariationen	-	V2
 ISO 10545/3	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme	≤ 0,5%	Conforme Conforms Conformes Gemäß
 ISO 10545/4	Resistenza alla flessione Bending strength Resistance a la flexion Biegefestigkeit	R > 35 N/mm ²	Conforme Conforms Conformes Gemäß
 ISO 10545/11	Resistenza al cavillo Crazing resistance Resistance au trassailage Haarrissfestigkeit	-	Resiste Resistant Résiste Beständig
 ISO 10545/13	Resistenza all'attacco chimico Chemical resistance Resistance à l'attaque chimique Säure-und laugefestigkeit	min. b	Conforme Conforms Conformes Gemäß
 ISO 10545/14	Resistenza alle macchie Stain resistance Resistance aux taches Fleckenfestigkeit	min. Classe 3	Conforme Conforms Conformes Gemäß
 ISO 10545/12	Resistenza al gelo Frost resistance Resistance au gel Frostbeständigkeit	-	Resiste Resistant Résiste Beständig
 ISO 10545/6	Resistenza all'abrasione profonda Deep abrasion resistance Résistance à l'abrasion profonde Tiefenverschleissbeständigkeit	< 175 mm ³	Conforme Conforms Conformes Gemäß
 ANSI A 1371:2012 BOT 3000	Resistenza allo scivolamento Slip resistance Resistance au glissement Bestimmung der Rutschhemmung	WET DCOF ≥ 0,42	Conforme Conforms Conformes Gemäß
		DIN 51130	R10
		DIN 51097	-
		B.C.R.A. REP. CEC. 6/81	-
 ISO 10545/8	Coefficiente di dilatazione termica lineare Thermal expansion coeff. Between 20°C - 100°C Coeff. De dilatation thermique lineaire entre 20°C et 100°C Wärmeausdehnung zwischen 20°C und 100°C	< 9x10 ⁻⁶ C ⁻¹	9x10 ⁻⁵ C ⁻¹
	Resistenza agli sbalzi termici Resistance to thermal shock Resistance aux chocs thermiques Temperaturwechselbeständigkeit	-	Resiste Resistant Résiste Beständig
	Resistenza della superficie (scala MOHS) Scratch resistance (MOHS scale) Dureté de la surface (échelle MOHS) Oberflächenhärte (MOHS skala)	EN 101	≥ 6



Via Ghiarola Nuova, 158
 41042 Fiorano Modenese,
 Modena - Italy
 tel +39 0536 832393
 fax +39 0536 913591
verde1999.com
 info@verde1999.com

Verde
1999[®]

AN ITALIAN STORY